



**MILITARY AND
LAW ENFORCEMENT**

Colt's Manufacturing Company LLC is among the world's leading designers, developers and manufacturers of firearms. Founded by Samuel Colt in 1836, Colt's Manufacturing has supplied civilian, military and law enforcement customers in the United States and abroad for over 185 years. Colt operates its manufacturing facility in West Hartford, Conn.

CONTENTS

- 3 MK47**
- 4 M5® CARBINE**
- 6 ENHANCED PATROL RIFLE II**
- 8 M4 CARBINE**
- 10 ACC-M**
- 11 PISTON CARBINE**
- 12 LIGHT ASSAULT SUPPORT WEAPON**
- 13 M16 RIFLE**
- 14 SUB-MACHINE GUN**
- 15 CMK**
- 17 CM7**
- 18 CONVERSION KITS**
- 19 GRENADE LAUNCHER**



MK47



MK47

40MM | ADVANCED GRENADE LAUNCHER

The MK47 is a lightweight 40mm automatic grenade launcher with an integrated fire control system, capable of functioning as a standard automatic grenade launcher or with programmable airburst capability.

	MK47
Caliber	40mm
Barrel Length	24"



M5[®] CARBINE

The Colt M5[®] rifle represents the next evolution of Colt's proven M16 and M4 platforms, integrating mission-driven enhancements for accuracy and reliability. The enhanced upper receiver features a modular Magpul[®] M-LOK[®] compatible handguard and an improved barrel retention interface to maintain shot consistency. The M5[®] lower receiver incorporates fully ambidextrous controls including a selector, magazine catch, and bolt catch and release for intuitive operation by both left- and right-handed users. The platform retains compatibility with many Colt M4 Carbine components and established training procedures, minimizing retraining while preserving operational continuity.

FEATURES

- » **Barrel:** Proprietary barrel constructed from Cr-Mo-V Steel, featuring a Chrome Lining and a 1:7 twist rate. This barrel is meticulously tested through both High-Pressure (HP) and Magnetic Particle Inspection (MPI) to meet or exceed MIL-SPEC standards, delivering accurate and reliable performance proven globally under high heat, heavy use, and extreme conditions.
- » **Self-Centering Barrel Nut and Extension:** Designed to improve overall barrel alignment and accuracy by ensuring more even pressure distribution in the upper receiver. A keyed barrel extension is also incorporated to boost durability by eliminating the traditional index pin.
- » **Bolt Carrier Group:** Built with a MIL-SPEC HP/MPI tested bolt, chrome-lined carrier, and staked gas key to ensure the rifle can withstand extreme internal pressures generated during firing without failure.
- » **Lower Receiver:** Forged from 7075-T6 aluminum to provide a high strength-to-weight ratio while remaining lightweight and durable. Ambidextrous controls, including the magazine release, bolt release, and safety selector, allow both left- and right-hand dominant users to operate the rifle using the same manual of arms.
- » **Upper Receiver:** Utilizes a true free-float barrel system with an integrated handguard mounting interface. This design effectively isolates the barrel, reducing external pressures that commonly impact accuracy, resulting in improved precision and repeatable shot placement.
- » **Handguard:** Features an M5[®] 7-sided Magpul[®] M-LOK[®] interface and an uninterrupted MIL-STD-1913 top rail for extensive optic and accessory mounting. A keyed anti-rotation tab eliminates side-to-side movement and reduces deflection at the upper receiver interface, ensuring stability.
- » **Charging Handle:** Equipped with the ambidextrous Radian[®] Raptor™ charging handle, allowing easier and quicker manipulation from either side of the weapon. This design is particularly beneficial under duress and remains effective even with large optics mounted low on the top rail.



	CM556-10H-M5A	CM556-10H-M5S	CM556-11H-M5A	CM556-11H-M5S	CM556-14H-M5A
Caliber	5.56x45mm				
Barrel Length	10.3" (261.6 mm)		11.5" (292.1mm)		14.5" (368.3mm)



CM556-10H-M5A



CM556-10H-M5A-SCWF



CM556-16-M5A



CM556-14H-M5A

	CM556-14H-M5S	CM556-16-M5A	CM556-16-M5S	CM556-10H-M5A-SCW	CM556-10H-M5A-SCWF
Caliber	5.56x45mm				
Barrel Length	14.5" (368.3mm)	16.1 (408.9mm)		10.3 (261.6 mm)	

***Available in FDE*

ENHANCED PATROL RIFLE II

The next evolution of Colt's established carbine platform, the EPR II blends proven TDP components with certified MIL-SPEC materials, coatings, finishes, and proprietary processes, ensuring every Colt® EPR II is built to professional standards for reliable performance across a wide range of conditions.

The new Colt free float rail features Magpul® M-LOK® slots, a full-length MIL-STD-1913 Picatinny top rail, and seven M-LOK® mounting orientations for maximum attachment flexibility. Anti-rotation tabs and two integrated steel QD sling swivel sockets complete this rigid, lightweight system.

FEATURES

- » **Colt Chrome-Lined Barrel:** Rigid material, process and QC standards result in a barrel backed by decades of experience—delivering accurate reliable performance under high heat, heavy use, and extreme conditions, proven globally.
- » **Colt Bolt Carrier Group:** Built to meet and exceed MIL-SPEC standards. Proprietary bolt heat treat process delivers enhanced wear resistance and service life.
- » **MIL-SPEC Finishes:** Certified MIL-SPEC finishes provide consistent corrosion and wear resistance across components, ensuring long-term durability in demanding operational environments.
- » **Ambidextrous Controls:** Magazine catch, safety selector, and Radian Raptor™ charging handle offer improved strong and support side manipulation.
- » **Individual HP (High Pressure) and MPI (Magnetic Particle Inspection):** Every bolt, barrel, and barrel extension undergo HP testing and MPI to ensure safety and reliability under real-world conditions.



LE6933-EPRII



LE6933-EPRII-PRO



LE6920-EPRII



LE6920-EPRII-PRO

	LE6933-EPRII	LE6933-EPRII-PRO	LE6920-EPRII	LE6920-EPRII-PRO
Caliber	5.56x45mm			
Barrel Length	11.5" (292.1 mm)		16.1" (408.9mm)	



M4 CARBINE



R0933



R0977HB



R0977HB-INT



LE6920SOCOM



LE6920-OEM1



LE6920-OEM2

	R0933	R0977	R0977HB	R0977HB-INT	LE6920SOCOM	LE6920-OEM1	LE6920-OEM2	LE6920MPS-B
Caliber	5.56x45mm							
Barrel Length	11.5" (292.1 mm)	14.5" (368.3 mm)				16.1" (408.9 mm)		



ACC-M



	LE6940	LE6945CQB	LE6944	R0923CQB	R0923-11	R0923
Caliber	5.56x45mm					
Barrel Length	16.1" (408.9 mm)	10.3" (261.6 mm)	14.5" (368.3 mm)	10.3" (261.6 mm)	11.5" (292.1 mm)	14.5" (368.3 mm)

PISTON CARBINE



	LE6940P	P0923-10	P0923-11	P0923-14	P0923-16
Caliber	5.56x45mm				
Barrel Length	16.1" (408.9 mm)	10.3" (261.6 mm)	11.5" (292.1 mm)	14.5" (368.3 mm)	16.1" (408.9 mm)

LIGHT ASSAULT SUPPORT WEAPON



The Colt Light Assault Support Weapon provides sustained, high-volume fire in a lightweight, maneuverable squad support platform. Featuring a unique heat sink design that exceeds cook-off standards, the Light Assault Support Weapon maintains lower operating temperatures during extended firing cycles.

The magazine-fed design offers ammunition commonality with standard infantry rifles—delivering increased capability over traditional light machine guns without the complexity and reload delays of belt-fed systems.



	IAR6940E	IAR6943E
Caliber	5.56x45mm	
Barrel Length	16.1" (408.9 mm)	11.5" (292.1 mm)

M16 RIFLE



R0901

	R0901	R0901-INT
Caliber	5.56x45mm	
Barrel Length	20.0" (508.0 mm)	

SUB-MACHINE GUN



CM9-10H-M5A

	CM9-9H-M5S	CM9-10H-M5S	CM9-9H-M5A	CM9-10H-M5A
Caliber	9x19mm			
Barrel Length	9.0" (228.6 mm)	10.5" (266.7 mm)	9.0" (228.6 mm)	10.5" (266.7 mm)



	CMK-11H-M4A	CMK-14H-M4A	CMK-16H-M4A	CMK-11H-M4S	CMK-14H-M4S	CMK-16H-M4S
Caliber	7.62x39mm					
Barrel Length	11.5" (292.1 mm)	14.5" (368.3 mm)	16.1" (408.9 mm)	11.5" (292.1 mm)	14.5" (368.3 mm)	16.1" (408.9 mm)





CM762-13A



CM762-16A



CM762-18S-SASS

	CM762-13A	CM762-13S	CM762-16A	CM762-16S	CM762-18S-SASS
Caliber	308				
Barrel Length	13.0" (330.2 mm)		16.1" (408.9 mm)		18.0" (457.2 mm)

CONVERSION KITS

The next evolution in sustaining Colt's proven weapon systems, Conversion Kits provide a cost-effective, field-proven solution for modernizing legacy M16 and M4 platforms. Designed to integrate seamlessly with existing lower receivers, these kits upgrade rifles to an "as-new" configuration while preserving current serial number inventories. By incorporating modern components, materials, and processes, Colt Conversion Kits deliver enhanced capability and extended service life—bringing the advantages of current technology to established platforms without disruption to inventory control or fleet continuity.



CM556-10H-CK



CM556-11H-CK



CM556-14H-CK



CM556-16H-CK



R0977HBCK



R0933CK



LE6921-EPR-CK-PW

	CM556-10H-CK	CM556-11H-CK	CM556-14H-CK	CM556-16-CK	R0977HBCK	R0933CK	R0901CK	R0901-INTCK
Caliber	5.56x45mm							
Barrel Length	10.3" (261.6 mm)	11.5" (292.1 mm)	14.5" (368.3 mm)	16.1" (408.9 mm)	14.5" (368.3 mm)	11.5" (292.1 mm)	20.0" (508.0 mm)	

	LE6920EPRII-CK	LE6920EPRII PRO-CK	LE6921EPRII-CK	LE6921EPRII PRO-CK	LE6933EPRII-CK	LE6933EPRII PRO-CK	LE6921EPRII- CK-PW
Caliber	5.56x45mm						
Barrel Length	16.1" (408.9 mm)		14.5" (368.3 mm)		11.5" (292.1 mm)		14.5" (368.3 mm)

GRENADE LAUNCHER



The Colt M203 Grenade Launcher is a lightweight, single-shot, breech-loaded 40mm weapon engineered for seamless integration with MIL-STD-1913 Picatinny rails mounted beneath a carbine or directly to the barrel. The M203 delivers reliable, adaptable indirect-fire capability while maintaining balance and compatibility with existing weapon platforms.



R0801



	R0801	R0810	R0811	R0812	R0813
Caliber	40mm				
Barrel Length	12.0" (304.8 mm)		9.0" (228.6 mm)		12.0" (304.8 mm)



CONTACT US

USG/MLE: MLESALES@COLT.COM

COLT.COM/MLE